

Certified to STANAG 2920 and EN172, these RANGER ballistic protection sunglasses ensure maximum protection against any event. With its bridge, nylon non-slip temples and lateral ventilation, RANGER provides comfort and protection. RANGER is available in **smoke**



PANCER ballistic sunglasses

markings / norms

Model	Reference	Version	Lens markings	Frame marking	V50 Ballistic Resistance STANAG 2920	ANSI/MIL	Coatings
RANGER	RANGPSF	Smoke	5-3.1 ╦ 1 FT KN C€	🗁 EN166 FT د و	667 km/h - 188 m/s	ANSIZ87.1-2010	₽LATINUM (* P)
	RANGFLASH	Red flash	5-3.1 🙄 1 FT C€	🗁 EN166 FT د د	673 km/h - 187 m/s	ANSIZ87.1-2010	ASAF
	RANGPOL		5-3.1 🗁 1 FT 🗲	🗁 EN166 FT د د	680 km/h -189 m/s	ANSIZ87.1-2010	ASAF



CHARACTERISTICS LENS:

Ballistic PC lens - 2.2 mm - Base 8 PLATINUM coating (on smoke version) Integrated lateral protection



packaging and ean13 code :

Model	Reference	Unit	Inner box	Units	Outer box	Units
RANGER	RANGPSF	3660740001209	х	х	3660740201203	x 95
	RANGFLASH	3660740001216	х	x	3660740201210	x 95
	RANGPOL	3660740001223	Х	x	3660740201227	x 95

Notified laboratories for certification:











Denere e